

## Description



[Return to Search Results](#)

Part Number:  Grind Number:

Lifter Type:

Engine Family:



Description:


Cam Family:

## Specifications

		Intake	Exhaust
RPM Range:	<input type="text" value="1800 to 6800"/>	<input type="text" value="Hyd."/>	<input type="text" value="Hyd."/>
Valve Timing:	<input type="text" value="0.006"/>	<input type="text" value="275"/>	<input type="text" value="277"/>
Lobe Separation:	<input type="text" value="112°"/>	<input type="text" value="222"/>	<input type="text" value="224"/>
Intake Centerline:	<input type="text" value="110°"/>	<input type="text" value="0.566"/>	<input type="text" value="0.568"/>
		<input type="text" value="0.333"/>	<input type="text" value="0.334"/>

Valve Timing @ 0.006 Lift:

	Exhaust	Intake
Closes	<input type="text" value="25"/>	<input type="text" value="28"/>
	ATDC	BTDC
Opens	<input type="text" value="73"/>	<input type="text" value="68"/>
	BBDC	ABDC



## Recommended Components

Component	Part Number
Lifter Kit	<a href="#">850-16</a> [11] / <a href="#">875-16</a> [11]
Timing Set	<a href="#">3158KT</a>
Rocker Arms	<a href="#">19026-16</a> / <a href="#">1500</a> / <a href="#">13702-KIT</a>
Push Rods	<a href="#">7955-16</a>
Valve Springs	<a href="#">26918-16</a>
Dual Valve Spring Kits	<a href="#">26925TS-KIT</a>
Camshaft Break-In Lube	<a href="#">159</a>

## Installation Notes (These notes apply to the above recommended components with the trailing installation note numbers)

Note	Description
7	[7] Stock springs cannot be used.
11	[11] Lifters only, does not include lifter retainers or guides.

[Contact us via email](#)

[Return to Search Results](#)





ADD TO BASKET 