

C:\Program Files\AudieTech\CPP\224\_UN2987.CPP

		LIFT	DUR.	OPEN	CLOSE	AREA
Lobe	I1					
Centerline	110.1 ATDC	0.006	275.8	26.2 BTDC	69.6 ABDC	26.32
.050 Lift C/L	110.2 ATDC	0.020	251.3	15.1 BTDC	56.2 ABDC	26.17
Runout	0.00030	0.050	224.7	2.1 BTDC	42.5 ABDC	25.72
Peak Open Acc.	0.000394	0.100	195.6	12.2 ATDC	27.8 ABDC	24.65
Peak Nose Acc.	-0.000266	0.150	170.6	24.7 ATDC	15.3 ABDC	23.08
Peak Close Acc.	0.000423	0.200	144.4	37.8 ATDC	2.2 ABDC	20.79
Lift @ TDC	0.0564	0.250	113.6	53.2 ATDC	13.2 BBDC	17.31
Minimum Flat		0.300	71.0	74.5 ATDC	34.5 BBDC	11.41
Follower Dia.	0.9316	0.33179	--- PEAK LIFT ---			

C:\Program Files\AudieTech\CPP\224\_UN2987.CPP

		LIFT	DUR.	OPEN	CLOSE	AREA
Lobe	E1					
Centerline	118.1 BTDC	0.006	275.3	74.3 BBDC	20.9 ATDC	26.28
.050 Lift C/L	117.8 BTDC	0.020	251.2	63.1 BBDC	8.1 ATDC	26.12
Runout	0.00020	0.050	224.5	50.0 BBDC	5.5 BTDC	25.64
Peak Open Acc.	0.000433	0.100	195.5	35.7 BBDC	20.2 BTDC	24.51
Peak Nose Acc.	-0.000276	0.150	170.4	23.2 BBDC	32.7 BTDC	22.90
Peak Close Acc.	0.000453	0.200	144.3	10.1 BBDC	45.9 BTDC	20.56
Lift @ TDC	0.0358	0.250	113.5	5.2 ABDC	61.3 BTDC	17.03
Minimum Flat		0.300	70.8	26.5 ABDC	82.6 BTDC	11.07
Follower Dia.	0.9271	0.33149	--- PEAK LIFT ---			



Custom  
Camshaft

Duration @ .050: Intake 224.7 Exhaust 224.5

Valve Lift w/ 1.7 rockers: Intake 0.563 Exhaust 0.563

Lobe Separation Angle: 114.1

Cam Checked By: John SN UN2987