

**Stock 98 Camaro Auto
High Spark - B5913**

LABELS	Grams/Cylinder {link: GM.DYNCLAIR_DMA}																							
RPM {link:	0.08	0.12	0.16	0.2	0.24	0.28	0.32	0.36	0.4	0.44	0.48	0.52	0.56	0.6	0.64	0.68	0.72	0.76	0.8	0.84	0.88	0.92	0.96	1
400	19.0	19.0	19.0	19.0	17.0	14.0	13.0	9.0	5.0	4.0	0.0	-2.0	-4.0	-4.0	-4.0	-4.0	-4.0	-4.0	-4.0	-4.0	-4.0	-4.0	-4.0	-4.0
600	22.0	22.0	22.0	22.0	22.0	20.0	18.0	17.0	15.0	12.0	8.0	4.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
800	27.0	27.0	27.0	27.0	28.0	25.0	24.0	22.0	21.0	17.0	13.0	11.0	8.0	7.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
1000	30.0	30.0	30.0	30.0	31.0	28.0	27.0	26.0	24.0	22.0	17.0	15.0	12.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
1200	34.0	34.0	34.0	34.0	34.0	31.0	28.0	27.0	26.0	23.0	21.0	18.0	15.0	14.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0
1400	38.0	38.0	38.0	38.0	36.0	33.0	31.0	30.0	29.0	27.0	25.0	21.0	18.0	17.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0
1600	41.0	41.0	41.0	38.0	37.0	35.0	33.0	33.0	30.0	29.0	26.0	23.0	20.0	19.0	19.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0
1800	41.0	41.0	41.0	38.0	38.0	36.0	34.0	33.0	31.0	30.0	29.0	26.0	24.0	22.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0
2000	41.0	41.0	41.0	38.0	38.0	37.0	35.0	34.0	32.0	31.0	30.0	28.0	27.0	26.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
2200	41.0	41.0	41.0	38.0	38.0	37.0	35.0	34.0	33.0	32.0	31.0	29.0	28.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0	27.0
2400	40.0	40.0	40.0	38.0	38.0	37.0	35.0	34.0	34.0	33.0	32.0	30.0	29.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
2800	40.0	40.0	40.0	38.0	38.0	37.0	35.0	34.0	34.0	33.0	33.0	31.0	30.0	29.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
3200	40.0	40.0	40.0	38.0	38.0	37.0	35.0	34.0	34.0	33.0	33.0	32.0	32.0	31.0	30.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0	29.0
3600	39.0	39.0	39.0	39.0	38.0	36.0	35.0	34.0	34.0	33.0	33.0	32.0	31.0	30.0	29.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
4000	39.0	39.0	39.0	39.0	38.0	35.0	33.0	32.0	32.0	31.0	30.0	27.0	26.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0
4400	39.0	39.0	39.0	39.0	38.0	35.0	33.0	32.0	32.0	31.0	28.0	27.0	27.0	26.0	26.0	25.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
4800	39.0	39.0	39.0	39.0	38.0	35.0	33.0	32.0	32.0	31.0	28.0	27.0	27.0	26.0	26.0	24.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0
5200	38.0	38.0	38.0	38.0	38.0	35.0	33.0	32.0	32.0	31.0	29.0	28.0	28.0	27.0	27.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0
5600	38.0	38.0	38.0	38.0	38.0	35.0	35.0	33.0	31.0	31.0	31.0	31.0	31.0	29.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
6000	38.0	38.0	38.0	38.0	38.0	36.0	35.0	33.0	31.0	31.0	31.0	31.0	31.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
6400	38.0	38.0	38.0	38.0	38.0	36.0	35.0	33.0	31.0	31.0	31.0	31.0	31.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
6800	38.0	38.0	38.0	38.0	38.0	36.0	35.0	33.0	31.0	31.0	31.0	31.0	31.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
7200	38.0	38.0	38.0	38.0	38.0	36.0	35.0	33.0	31.0	31.0	31.0	31.0	31.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
7600	38.0	38.0	38.0	38.0	38.0	36.0	35.0	33.0	31.0	31.0	31.0	31.0	31.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
8000	38.0	38.0	38.0	38.0	38.0	36.0	35.0	33.0	31.0	31.0	31.0	31.0	31.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0

Red Cells Represent Positive Changes from stock

LABELS	Grams/Cylinder {link: GM.DYNCYLAIR_DMA}																							
RPM {link:	0.08	0.12	0.16	0.2	0.24	0.28	0.32	0.36	0.4	0.44	0.48	0.52	0.56	0.6	0.64	0.68	0.72	0.76	0.8	0.84	0.88	0.92	0.96	1
400	3.0	2.4	1.6	0.4	0.8	1.5	-0.1	1.0	2.0	0.2	1.7	1.5	1.4	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0	32.0
600	2.7	2.4	1.9	0.9	-0.5	-0.5	-0.9	-2.5	-3.1	-2.9	-1.4	0.3	0.4	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0
800	0.3	0.1	-0.3	-1.1	-3.3	-2.0	-3.0	-3.2	-4.6	-3.0	-1.5	-1.8	-0.9	21.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0
1000	0.1	-0.1	-0.4	-1.2	-3.2	-1.7	-2.4	-3.4	-3.5	-3.8	-1.1	-1.6	-0.7	18.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0
1200	-1.1	-1.2	-1.6	-2.4	-3.4	-1.8	-0.4	-1.2	-2.2	-1.3	-1.6	-1.0	-0.1	14.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0
1400	-2.4	-2.7	-3.3	-4.2	-3.2	-1.5	-1.0	-1.6	-2.5	-2.4	-2.6	-0.8	0.1	11.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
1600	-3.4	-3.8	-4.4	-2.4	-2.4	-1.6	-1.1	-2.7	-1.4	-2.2	-1.2	-0.2	0.9	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
1800	-2.2	-2.5	-3.2	-1.2	-2.2	-1.4	-0.8	-1.3	-0.8	-1.4	-2.2	-1.0	-0.7	6.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
2000	-1.4	-1.7	-2.4	-0.3	-1.4	-1.5	-0.9	-1.1	-0.5	-1.0	-1.5	-1.1	-1.6	2.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
2200	-1.1	-1.4	-2.0	0.1	-0.8	-0.9	-0.2	-0.4	-0.6	-0.9	-1.2	-0.5	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
2400	0.0	-0.4	-0.9	0.4	-0.4	-0.5	0.2	0.1	-1.1	-1.2	-1.3	-0.4	-1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2800	-0.1	-0.4	-0.9	0.5	-0.3	-0.4	0.3	0.2	-0.8	-0.8	-1.8	-0.8	-2.0	-1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3200	-0.3	-0.7	-1.1	0.3	-0.5	-0.5	0.3	0.2	-0.8	-0.7	-1.5	-1.4	-4.0	-3.0	-2.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0	-1.0
3600	0.3	0.1	-0.3	-0.9	-0.7	0.3	0.2	0.1	-0.9	-0.7	-1.4	-1.2	-3.0	-2.0	-1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4000	0.1	-0.1	-0.4	-1.0	-0.9	1.1	2.1	2.0	1.0	1.2	1.4	3.7	2.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
4400	-0.1	-0.2	-0.5	-1.1	-1.0	1.0	2.0	2.0	1.0	1.1	3.3	3.5	1.0	2.0	2.0	3.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
4800	-0.3	-0.4	-0.7	-1.3	-1.0	1.0	2.0	2.0	1.0	1.0	3.2	3.3	1.0	2.0	2.0	4.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
5200	0.3	0.2	0.1	-0.3	-1.1	1.0	2.0	2.0	1.0	1.0	2.0	2.2	0.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
5600	0.1	0.0	-0.1	-0.5	-1.1	1.0	0.0	1.0	2.0	1.0	0.0	-0.9	-3.0	-1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6000	0.0	0.0	-0.3	-0.7	-1.3	0.0	0.0	1.0	2.0	1.0	0.0	-0.9	-3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6400	0.0	-0.1	-0.3	-0.8	-1.3	-0.1	0.0	1.0	2.0	1.0	0.0	-0.8	-3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6800	0.0	-0.1	-0.3	-0.8	-1.3	-0.1	0.0	1.0	2.0	1.0	0.1	-0.7	-3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7200	0.0	-0.1	-0.3	-0.8	-1.3	-0.1	0.0	1.0	2.0	1.0	0.1	-0.6	-3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7600	0.0	-0.1	-0.3	-0.8	-1.3	-0.1	0.0	1.0	2.0	1.0	0.2	-0.6	-3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8000	0.0	-0.1	-0.3	-0.8	-1.3	-0.1	0.0	1.0	2.0	1.1	0.3	-0.3	-3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

98 Camaro Timing Motor
Tunev008 - B5913

IF MSD Pulled 4* from 1800 up

