

Westside Performance & Machine, Inc.
9100 Emnora Ln.
Houston, Texas 77080
Phone: (713)465-7996
FAX: (713)465-7997

Listing of: DZ46010 (C:\WINDYN\901\DATA\DZ46010.SFD)
Printed on Jun 29, 2007 at 11:22:37 Stored on Jun 29, 2007

Test Description: Accel. Test - 300 rpm/second
460" CHEVY FOR DOUG ZORENS 6/29/07
40' TIMING
.025I=.025E LASH
1" OPEN SPACER
1050 CARB-8896
79-JETS

Listing of: DZ46010 (C:\WINDYN\901\DATA\DZ46010.SFD)
 Channel Group: Measured Torque and Power Page 1 of 1
 Printed on Jun 29, 2007 at 11:22:37
 Test Description: Accel. Test - 300 rpm/second

	EngSpd RPM	EngTrq lb-ft	EngPwr Hp	FulA+B lb/hr	Air 1 scfm	AirTmp degF	BSFC lb/hph	ManPrs inHg	Oil P psig
**	4900	490.1	457.2	222.3	601	100	0.486	0.0	50.5
	5000	494.5	470.8	227.5	616	100	0.483	0.0	50.9
	5100	501.3	486.8	228.2	640	100	0.469	0.0	51.3
	5200	507.5	502.5	234.2	664	100	0.466	0.0	51.6
	5300	507.9	512.5	242.7	685	100	0.474	0.0	51.9
	5400	518.2	532.8	239.2	711	100	0.449	0.0	52.2
	5500	528.0	552.9	254.3	741	100	0.460	0.0	52.5
	5600	517.7	552.0	257.1	750	100	0.466	0.0	52.6
	5700	513.8	557.6	268.1	775	100	0.481	0.0	52.8
	5800	523.3	577.9	276.4	803	100	0.478	0.0	53.7
	5900	528.7	593.9	285.4	812	102	0.481	0.0	53.6
	6000	525.3	600.1	297.4	843	101	0.496	0.0	54.0
	6100	513.3	596.2	303.0	854	102	0.508	0.0	54.2
	6200	517.0	610.3	308.9	865	102	0.506	0.0	54.4
	6300	513.8	616.3	325.1	888	101	0.527	0.0	54.6
	6400	506.7	617.4	319.2	896	100	0.517	0.0	54.8
	6500	503.1	622.6	317.2	912	100	0.509	0.0	54.9
	6600	498.9	626.9	316.8	931	98	0.505	0.0	55.1
	6700	491.6	627.1	330.3	950	98	0.527	0.0	55.1
	6800	487.9	631.7	331.2	958	98	0.524	0.0	55.2
	6900	485.0	637.2	336.2	976	96	0.528	0.0	55.2
	7000	472.8	630.1	337.9	987	96	0.536	0.0	54.9
	7100	466.2	630.2	341.1	999	97	0.541	0.0	54.6
**	7200	453.2	621.3	337.0	1004	94	0.542	0.0	54.6
**Range: 4900 RPM - 7200 RPM									
AVG:	6050	502.7	577.7	289.0	828	99	0.498	0.0	53.5
MIN:	4900	453.2	457.2	222.3	601	94	0.449	0.0	50.5
MAX:	7200	528.7	637.2	341.1	1004	102	0.542	0.0	55.2

Listing of: DZ46010 (C:\WINDYN\901\DATA\DZ46010.SFD)
 Channel Group: Corrected Torque and Power Page 1 of 1
 Printed on Jun 29, 2007 at 11:22:37
 Test Description: Accel. Test - 300 rpm/second

	EngSpd RPM	STPTrq Clb-ft	STPPwr CHp	Voleff %	Fuel A lb/hr	Fuel B lb/hr	BSFC lb/hph	WtrOut degF	OilOut degF
**	4900	531.1	495.5	102.0	113.9	108.4	0.486	101	0
	5000	535.9	510.2	102.4	111.6	115.9	0.483	100	0
	5100	543.3	527.6	104.4	115.8	112.4	0.469	101	0
	5200	550.0	544.6	106.1	118.3	115.9	0.466	101	0
	5300	550.6	555.6	107.4	121.5	121.2	0.474	101	0
	5400	561.8	577.6	109.6	120.8	118.4	0.449	101	0
	5500	572.4	599.5	112.1	125.4	128.9	0.460	100	0
	5600	561.6	598.8	111.5	131.5	125.6	0.466	100	0
	5700	557.4	605.0	113.1	131.3	136.8	0.481	101	0
	5800	567.8	627.0	115.1	140.3	136.1	0.478	101	0
	5900	575.0	645.9	114.9	144.7	140.7	0.481	101	0
	6000	571.1	652.5	117.1	153.0	144.4	0.496	101	0
	6100	559.2	649.5	116.9	157.0	146.0	0.508	101	0
	6200	563.4	665.1	116.5	158.0	150.9	0.506	101	0
	6300	559.6	671.3	117.4	161.8	163.3	0.527	101	0
	6400	551.6	672.2	116.4	162.2	157.0	0.517	101	0
	6500	548.0	678.3	116.7	159.3	157.9	0.509	101	0
	6600	542.5	681.8	116.8	160.3	156.5	0.505	102	0
	6700	535.0	682.5	117.5	162.3	168.0	0.527	103	0
	6800	531.3	687.9	116.8	164.9	166.3	0.524	103	0
	6900	527.2	692.7	116.8	161.2	175.0	0.528	103	0
	7000	514.5	685.7	116.5	169.6	168.3	0.536	103	0
	7100	508.4	687.2	116.4	175.6	165.5	0.541	102	0
**	7200	492.9	675.8	114.7	167.1	169.9	0.542	102	0

**Range: 4900 RPM - 7200 RPM
 AVG: 6050 546.3 627.9 113.1 145.3 143.7 0.498 101 0
 MIN: 4900 492.9 495.5 102.0 111.6 108.4 0.449 100 0
 MAX: 7200 575.0 692.7 117.5 175.6 175.0 0.542 103 0